

SELECTION GUIDE FOR COILED TUBING CHEMICAL CUTTER

04/2014REV09/2016

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")			
					0 - 2.5 Kpsi	2.5 - 5 Kpsi	5 - 6 Kpsi	6 - 10 Kpsi
1"	0.918 - 1.037 lb/ft (0.782" - 0.810")	11/16" W	0.96"	1 - 11/16 X 72	8 X 1/4	9 X 1/4	N/A	N/A
	0.688 - 0.848 lb/ft (0.826" - 0.866")	3/4" W	1.09"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
1 1/4"	1.081 - 1.823 lb/ft (0.938" - 1.076")	13/16" W	1.12"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
	1.081 - 1.328 lb/ft (1.032" - 1.076")	7/8" W	1.18"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
	0.840 - 0.941 lb/ft (1.100" - 1.116")	15/16" W	1.25"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
1 1/2"	1.256 - 2.239 lb/ft (1.188" - 1.334")	*7/8" ER W	1.35"	2 - 3/4 X 72	10 X 1/4	11 X 1/4	11 X 1/4	N/A
		*15/16" ER W	1.40"	2 - 3/4 X 72	10 X 1/4	11 X 1/4	11 X 1/4	N/A
	1.619 - 2.239 lb/ft (1.188" - 1.282")	*1" W	1.40"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
		*1 1/16" W	1.46"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
	1.256 - 1.619 lb/ft (1.282" - 1.334")	*1 1/8" W	1.52"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
1 3/4"	2.169 - 3.136 lb/ft (1.374" - 1.500")	*1 3/16" W	1.60"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
	1.910 - 2.944 lb/ft (1.400" - 1.532")	*1 1/4" W	1.68"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
2"	3.072 - 3.896 lb/ft (1.594" - 1.688")	*1 1/4" W	1.68"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
		1 3/8"	1.80"	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16	
	2.201 - 2.671 lb/ft (1.732" - 1.782")	1 1/2"	2.04"	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16	
2 3/8"	4.112 - 4.709 lb/ft (1.969" - 2.025")	1 11/16"	2.20"	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
	2.638 - 4.709 lb/ft (2.063" - 2.157")	1 7/8"	2.55"	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
2 5/8"	4.579 - 6.341 lb/ft (2.125" - 2.275")	1 7/8"	2.55"	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
	3.338 - 4.114 lb/ft (2.313" - 2.375")	2"	2.58"	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
2 7/8"	4.530 - 5.793 lb/ft (2.469" - 2.563")	2 1/8"	2.60"	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
3 1/2"	6.215 - 7.148 lb/ft (3.094" - 3.150")	2 5/8"	3.35"	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16	

SELECTION GUIDE F/ CS HYDRIL TUBING 1.050 - 1.660 OD

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")			
					0 - 2.5 kpsi	2.5 - 5 kpsi	5 - 6 kpsi	6 - 10 KPSI
1.05"	1.200 lb/ft (0.824")	11/16" W	0.96"	1 - 11/16 X 72	8 X 1/4	9 X 1/4	N/A	N/A
1.315"	2.250 lb/ft (0.957")	3/4" W	1.09"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
	1.800 lb/ft (1.049")	13/16" W	1.12"	1 - 3/4 X 72	8 X 1/4	9 X 1/4	N/A	N/A
1.660"	3.020 lb/ft (1.278")	*1 1/16" W	1.46"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A
	2.100 - 2.400 lb/ft (1.380" - 1.410")	*1 3/16" W	1.60"	1 - 1 X 72	6.5 X 3/8	7.5 X 3/8	8 X 3/8	N/A

- " W" DENOTES WEDGE TYPE TOOL

- "*" DENOTES A MAXIMUM ALLOWABLE PRESSURE OF 6000 psi

SELECTION GUIDE FOR TUBING, CASING & DRILL PIPE CHEMICAL CUTTER

04/2014REV09/2016

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Tubing Grade	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")		
						0 - 2.5 kpsi	2.5 - 5 kpsi	5 - 10 kpsi
1.90"	2.40 - 3.64 lb/ft (1.500" - 1.650")	1 3/8"	1.80"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
2 1/16"	3.25 - 3.40 lb/ft (1.670" - 1.751")	1 3/8"	1.80"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
		1 3/8" E.R.	2.10"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
		1 1/2"	2.04"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
		1 1/2" E.R.	2.20"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
				2 - 1 3/8 X 48	8 X 9/16	8.5 X 9/16	9 X 9/16	
		2 3/8"	4.70 - 7.70 lb/ft (1.703" - 1.995")	1 3/8" E.R.	2.10"	REGULAR	1 - 1 3/8 X 72	7 X 9/16
CHROME/ L-80	2 - 1 3/8 X 48					8 X 9/16	8.5 X 9/16	9 X 9/16
1 - 1 3/8 X 80	7.5 X 9/16					8 X 9/16	8.5 X 9/16	
1 1/2"	2.04"			REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
				2 - 1 3/8 X 48	8 X 9/16	8.5 X 9/16	9 X 9/16	
1 1/2" E.R.	2.20"		REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16	
			CHROME/ L-80	1 - 1 3/8 X 80	8 X 9/16	8.5 X 9/16	9.5 X 9/16	
			2 - 1 3/8 X 48	8 X 9/16	8.5 X 9/16	9 X 9/16		
4.70 - 6.20 lb/ft (1.853" - 1.995")	1 9/16" E.R.		2.26"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16
				CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16
				2 - 1 3/8 X 48	8 X 9/16	8.5 X 9/16	9 X 9/16	
	1 9/16"	2.10"	REGULAR	1 - 1 3/8 X 72	7 X 9/16	7.5 X 9/16	8 X 9/16	
			CHROME/ L-80	1 - 1 3/8 X 80	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
			2 - 1 3/8 X 48	8 X 9/16	8.5 X 9/16	9 X 9/16		
4.70 - 5.30 lb/ft (1.939" - 1.995")	1 11/16"	2.20"	REGULAR	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16	
			1 - 1 11/16 X 60	8 X 9/16	8.5 X 9/16	9 X 9/16		
			CHROME/ L-80	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16	

REGULAR GRADE: J55, N80, P110, ETC...

SELECTION GUIDE FOR TUBING, CASING & DRILL PIPE CHEMICAL CUTTER

04/2014REV09/2016

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Tubing Grade	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")		
						0 - 2.5 kpsi	2.5 - 5 kpsi	5 - 10 kpsi
2 7/8"	6.50 - 10.70 lb/ft (2.059" - 2.441" I.D.)	1 3/4"	2.50"	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
		1 3/4" E.R.	2.75"	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
		1 7/8"	2.55"	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
		1 7/8" E.R.	2.81"	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
	6.50 - 9.50 lb/ft (2.195" - 2.441" I.D.)	2.00"	2.58"	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
	6.50 - 7.90 lb/ft (2.323" - 2.441")	2 1/8"	2.60"	REGULAR	1 - 1 11/16 X 48	7.5 X 9/16	8 X 9/16	8.5 X 9/16
				CHROME/ L-80	1 - 1 11/16 X 60	8 X 9/16	8.5 X 9/16	9 X 9/16
					1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
3 1/2"	7.70 - 10.30 lb/ft (2.922" - 3.068")	2 3/8"	3.25"	REGULAR	1 - 2 X 60	10 X 9/16	10.5 X 9/16	11 X 9/16
				CHROME/ L-80	1 - 2 X 72	11 X 9/16	11.5 X 9/16	12 X 9/16
		2 5/8"	3.35	REGULAR	1 - 1 11/16 X 72	8.5 X 9/16	9 X 9/16	9.5 X 9/16
				CHROME/ L-80	1 - 2 X 60	9 X 9/16	10.5 X 9/16	11 X 9/16
					2 - 1 11/16 X 48	9 X 9/16	9.5 X 9/16	10 X 9/16
					1 - 1 11/16 X 80	9 X 9/16	9.5 X 9/16	10 X 9/16
	12.95 - 15.50 lb/ft (2.602" - 2.750")	2 3/8"	3.25"	REGULAR	1 - 2 X 72	11 X 9/16	11.5 X 9/16	12 X 9/16
				CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
					1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
	12.95 - 16.70 lb/ft (2.480" - 2.750")	1 3/4" E.R. SPC	2.90"	REGULAR/ CHROME/ L-80	2 - 1 11/16 X 72	11.5 X 9/16	12 X 9/16	12.5 X 9/16
		2.00" E.R.	2.85"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				CHROME/ L-80	1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
					REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16
	9.30 - 16.70 lb/ft (2.480" - 2.992")	2 1/8" E.R.	3.10"	REGULAR/ CHROME/ L-80	1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
				CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
		2 3/16" E.R.	3.10"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				CHROME/ L-80	1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
	9.30 - 15.50 lb/ft (2.602" - 2.992")	2 1/4" E.R.	3.22"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				CHROME/ L-80	1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
	7.70 - 15.50 lb/ft (2.602" - 3.068")	2 3/8" E.R.	3.37"	REGULAR	1 - 2 X 72	11 X 9/16	11.5 X 9/16	12 X 9/16
				REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
					CHROME/ L-80	1 - 2 X 80	11.5 X 9/16	12 X 9/16

SELECTION GUIDE FOR TUBING, CASING & DRILL PIPE CHEMICAL CUTTER

04/2014REV09/2016

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Tubing Grade	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")		
						0 - 2.5 kpsi	2.5 - 5 kpsi	5 - 10 kpsi
4"	9.5 - 15.70 lb/ft (3.240" - 3.548")	2 5/8" E.R.	4.20"	REGULAR/ CHROME/ L-80	1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
	11.00 - 15.70 lb/ft (3.240" - 3.476")	2 5/16" E.R.	3.53"	REGULAR/ CHROME/ L-80	1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
		2 7/8" E.R.	4.45"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
	9.50 - 14.00 lb/ft (3.340" - 3.548")	3 1/8"	3.92"	REGULAR	1 - 2 X 72	11 X 9/16	11.5 X 9/16	12 X 9/16
				CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
4 1/2"	9.5 - 22.82 lb/ft (3.500" - 4.090")	2 5/8" E.R.	4.20"	REGULAR/ CHROME/ L-80	1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
	13.75 - 22.82 lb/ft (3.500" - 3.958")	2 7/8" E.R.	4.45"	REGULAR/ CHROME/ L-80	2 - 2 X 60	14 X 9/16	15 X 9/16	16 X 9/16
				1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16	
	12.60 - 20.00 lb/ft (3.640" - 3.958")	3 1/8" E.R.	4.50"	REGULAR/ CHROME/ L-80	2 - 2 X 60	14 X 9/16	15 X 9/16	16 X 9/16
		3 1/4"	4.04"	REGULAR/ CHROME/ L-80	1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
	11.60 - 17.70 lb/ft (3.697" - 4.000")	3 3/8"	4.16"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
	9.50 - 15.50 lb/ft (3.826" - 4.090")	3 1/2"	4.28"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
	9.50 - 13.50 lb/ft (3.920" - 4.090")	3 5/8"	4.40"	REGULAR	1 - 2 X 72	11 X 9/16	11.5 X 9/16	12 X 9/16
				CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
5"	19.50 - 25.60 lb/ft (3.125" - 3.625")	2 7/8" E.R.	4.45"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
				1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16	
	11.50 - 21.00 lb/ft (4.154" - 4.560")	3 1/4" E.R.	4.62"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
				1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16	
		3 3/8" E.R.	4.75"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
				1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16	
		3 1/2" E.R.	4.87"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
				1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16	
	3 5/8" E.R.	5.00"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16	
			1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16		
	15.00 - 21.00 lb/ft (4.154" - 4.408")	3 7/8"	4.68"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
	11.50 - 19.50 lb/ft (4.276" - 4.560")	3 7/8" E.R.	5.12"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	
4"		4.80"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16	
				1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16	



SELECTION GUIDE FOR TUBING, CASING & DRILL PIPE CHEMICAL CUTTER

04/2014REV09/2016

Tubing O.D.	Tubing Weight Tubing (I.D.)	Tool Size	Max. Anchor Extension	Tubing Grade	Chemical Cylinder (qty. - OD" x L")	Gas Grain (L" X OD")		
						0 - 2.5 kpsi	2.5 - 5 kpsi	5 - 10 kpsi
5 1/2"	17.00 - 26.00 lb/ft (4.548" - 4.892")	3 7/8" E.R.	5.12"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
					1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
	13.00 - 26.00 lb/ft (4.548" - 5.044")	4" E.R.	5.25"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
					1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
		4 1/8" E.R.	5.37"	REGULAR/ CHROME/ L-80	2 - 2 x 60	14 X 9/16	15 X 9/16	16 X 9/16
					1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
	20.00 - 26.00 lb/ft (4.548" - 4.778")	4 3/16"	4.92"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
					1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
	15.50 - 23.00 lb/ft (4.670" - 4.950")	4 7/16"	5.14"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
					1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
	13.00 - 17.00 lb/ft (4.892" - 5.044")	4 9/16"	5.14"	REGULAR/ CHROME/ L-80	2 - 2 X 48	12.5 X 9/16	13 X 9/16	13.5 X 9/16
					1 - 2 X 80	11.5 X 9/16	12 X 9/16	12.5 X 9/16
7"	28.00 - 35.00 lb/ft (6.004" - 6.214")	5" E.R.	6.66"	REGULAR/ CHROME/ L-80	2 - 2 X 72	17 X 9/16	18 X 9/16	19 X 9/16
		5 1/2"	6.50"			12 X 3/4	12.5 X 3/4	13.5 X 3/4
	20.00 - 26.00 lb/ft (6.276" - 6.456")	5 3/4"	6.50"	REGULAR/ CHROME/ L-80	2 - 2 X 60	14 X 9/16	15 X 9/16	16 X 9/16
						11 X 3/4	11.5 X 3/4	12.5 X 3/4
				REGULAR/ CHROME/ L-80	1 - 2 X 84	13 X 9/16	13.5 X 9/16	14 X 9/16
						10 X 3/4	10.5 X 3/4	11.5 X 3/4
7 5/8"	20.00 - 33.70 lb/ft (6.765" - 7.125")	6 3/8"	7.37"	REGULAR/ CHROME/ L-80	2 - 2 X 72	17 X 9/16	18 X 9/16	19 X 9/16
						12 X 3/4	12.5 X 3/4	13.5 X 3/4
8 5/8"	24.00 - 40.00 lb/ft (7.725" - 8.017")	7 1/2"	8.50"	REGULAR/ CHROME/ L-80	2 - 2 X 72	17 X 9/16	18 X 9/16	19 X 9/16
						12 X 3/4	12.5 X 3/4	13.5 X 3/4
9 5/8"	32.200 - 59.40 lb/ft (8.407" - 9.001")	8"	9.10"	REGULAR/ CHROME/ L-8	2 - 2 X 72	17 X 9/16	18 X 9/16	19 X 9/16
						12 X 3/4	12.5 X 3/4	13.5 X 3/4